

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 670 | 714/9,10.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:38 |
| L2 | 841 | 714/43,56.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:38 |
| L3 | 364 | 712/220.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:38 |
| L4 | 1411 | 711/162.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:38 |
| L5 | 3252 | (L1 L2 L3 L4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:38 |
| L7 | 70 | (array and port and (failure error fail) and controller and path).clm. | US-PGPUB | OR | ON | 2006/04/14 15:42 |
| L10 | 39 | (array and port and (failure error fail) and controller and instruction).clm. | US-PGPUB | OR | ON | 2006/04/14 15:43 |
| L14 | 1 | 5 and 7 | US-PGPUB | OR | ON | 2006/04/14 15:43 |
| L16 | 2 | 5 and 10 | US-PGPUB | OR | ON | 2006/04/14 15:43 |
| L17 | 4 | ((array memory (register adj file)) and (port adj3 (failure error fail)) and controller and instruction).clm. | US-PGPUB | OR | ON | 2006/04/14 15:43 |
| L20 | 1 | ((swap adj controller) and selector and port and (fails fault failure)).clm. | US-PGPUB | OR | ON | 2006/04/14 15:45 |

EAST Search History

| | | | | | | |
|-----|---|---|---|----|----|------------------|
| L21 | 2 | ((alternative adj path) and (port with (backup secondary redundant failover))).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:44 |
| L22 | 9 | (swap adj controller).clm. | US-PGPUB | OR | ON | 2006/04/14 15:45 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L3 | 156 | (dual adj port) with (register adj file) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 14:29 |
| L9 | 75 | ((dual adj port) with (register adj file)) and (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:14 |
| L11 | 5 | (dual adj port) same failover | USPAT | OR | OFF | 2006/04/14 15:14 |
| L12 | 0 | (port same (register adj file)) and (failover) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:15 |
| L13 | 619 | (port same (memory)) and (failover) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:15 |
| L14 | 30 | (port same (memory)) same (failover) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/14 15:15 |
| S4 | 349 | (register adj file) and (port with (backup secondary redundant failover)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 13:36 |
| S5 | 18 | "714"/\$.ccls. and (register adj file) and (port with (backup secondary redundant failover)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 14:44 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S8 | 20 | ((backup secondary redundant failover) adj4 port) and (register adj file) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:12 |
| S9 | 8604 | ((backup secondary redundant failover) adj4 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:12 |
| S10 | 6 | ((backup redundant failover) adj4 port) and (register adj file) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 16:59 |
| S11 | 985 | ((backup redundant failover) adj4 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:14 |
| S12 | 16 | "712"/\$.ccls. and ((backup redundant failover spare) adj4 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:31 |
| S13 | 55 | "712"/\$.ccls. and ((backup redundant failover spare duplicate alternate) adj4 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:32 |
| S14 | 117 | "712"/\$.ccls. and ((backup redundant failover spare duplicate alternate slave) adj4 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:32 |
| S15 | 146 | "712"/\$.ccls. and ((backup redundant failover spare duplicate alternate slave inactive) adj4 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:33 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S16 | 55 | "712"/\$.cccls. and ((backup redundant failover spare duplicate alternate slave inactive) adj2 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:37 |
| S17 | 993 | instruction and ((backup redundant failover spare duplicate alternate slave inactive) adj2 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 17:17 |
| S18 | 77 | instruction same ((backup redundant failover spare duplicate alternate slave inactive) adj2 port) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 15:38 |
| S26 | 19 | (register adj file) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/12 17:53 |
| S27 | 6 | differential adj memory adj array | USPAT | OR | OFF | 2006/04/13 08:43 |
| S28 | 9 | differential adj memory adj array | US-PGPUB; USPAT | OR | OFF | 2006/04/13 08:43 |
| S29 | 569 | (memory adj array) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 08:49 |
| S30 | 46 | (memory adj array) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 08:50 |
| S31 | 414 | ((memory adj array) (register file)) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 08:51 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S32 | 496 | ((memory adj array) (register file) instruction) same ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:32 |
| S33 | 3263 | ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port interface connection interconnect)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:02 |
| S34 | 65 | "712"/\$.ccls. and ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:30 |
| S35 | 152 | "711"/\$.ccls. and ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:03 |
| S36 | 217 | "714"/\$.ccls. and ((dual backup redundant failover spare duplicate alternate slave inactive) adj3 (port)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:03 |
| S37 | 389 | ((backup failover spare alternate slave inactive (fault adj tolerant)) adj3 (port)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:31 |
| S38 | 111 | ((backup failover spare alternate slave inactive (fault adj tolerant)) with memory with port) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:32 |
| S39 | 52 | ((backup failover spare alternate slave inactive (fault adj tolerant)) adj5 ((register adj file) array memory) adj5 (port interface connection interconnect)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 10:17 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S40 | 1 | (redundant adj port) with operands | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:45 |
| S41 | 4 | (redundant adj port) with instructions | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:45 |
| S42 | 52 | ((backup failover spare alternate slave inactive (fault adj tolerant)) adj5 ((register adj file) array memory SRAM) adj5 (port interface connection interconnect)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 09:46 |
| S44 | 28 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 ((register adj file) array memory storage) adj5 port) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 10:23 |
| S46 | 535 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 (port output)) same (error fault failure) same ((register adj file) array memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 10:25 |
| S47 | 100 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 ((register adj file) array memory) adj5 (port output)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 13:26 |
| S48 | 670 | 714/9,10.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |
| S49 | 841 | 714/43,56.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S50 | 364 | 712/220.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |
| S51 | 1849 | (S48 S49 S50) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 13:26 |
| S52 | 71 | S51 and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 (port output)) same (error fault failure) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:24 |
| S53 | 28 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj5 (port output)) same (error fault failure) same (((register adj file) array memory storage) adj (port output)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 13:58 |
| S55 | 234 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (error fault failure) same (((register adj file) array memory storage) adj (port output))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:27 |
| S59 | 4622 | (dual (backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj2 (port output channel terminal)) same (error fault failure) same ((register adj file) array memory storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:29 |
| S60 | 14 | S51 and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (error fault failure) same (((register adj file) array memory storage) adj (port output))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:31 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S63 | 1411 | 711/162.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |
| S64 | 3 | S63 and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (error fault failure) same (((register adj file) array memory storage) adj (port output))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:32 |
| S65 | 912 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj4 (port output channel terminal)) same (error fault failure) same ((register adj file) array memory storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:34 |
| S66 | 49 | (S51 S63) and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj4 (port output channel terminal)) same (error fault failure) same ((register adj file) array memory storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:39 |
| S67 | 47 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) adj4 (port output channel terminal path connection)) same (error fault failure) same (memory adj array) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:48 |
| S68 | 670 | 714/9,10.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |
| S69 | 841 | 714/43,56.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S70 | 364 | 712/220.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |
| S71 | 1411 | 711/162.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:47 |
| S72 | 22 | (S68 S69 S70 S71) and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (dual adj (port output channel terminal path connection))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 16:34 |
| S73 | 17 | (S68 S69 S70 S71) and ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (dual adj port)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:58 |
| S74 | 1024 | ((backup (back\$3 adj up) failover spare alternate slave redundant duplicat\$3 replicat\$3 inactive (fault adj tolerant)) same (dual adj port)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/13 14:58 |